


# Health and Safety Adoption of Conditions of Readiness for School Reopening



# Return Together Vision Statement

Sac City Unified will disrupt the current status quo of systemic inequity to meet the academic, social and emotional needs of all our students, especially our most vulnerable students. Such disruption must result in higher learning standards and accountability. Our Return Together Plan will abide by all county public health orders to safely serve as many students as possible through in-person instruction. Because we recognize the evolving nature of this pandemic, all of our learning models will meet the needs of all students and mitigate learning loss, assuring that all students are given an equal opportunity to graduate with the greatest number of postsecondary choices from the widest array of options.

### Sacramento County Public Health - COVID-19 Levels






### CDPH/SCPH Reopening of Schools Criteria



# Implications for Purple Tier

- Schools not already open to all students for in-person instruction must remain closed
- Schools conducting in-person instruction or supports must maintain mitigation measures, including social distancing, face coverings, and sanitization, in compliance with schools guidance from CDPH and Sacramento County Public Health.

"



### Learning Hubs and Waiver Applications

{Learning Hubs are allowable under the preexisting CDPH small groups/cohort guidance. Cohorts cannot exceed 16 individuals per cohort or more than 25% of the entire school population.

{Elementary schools (grades TK-6) may apply for a waiver to conduct inperson instruction. No waiver process exists for middle or high schools.

{Outdoor only sports conditioning using equipment is allowable for physical education classes and student athletics.



## **Metrics Components**

#### Metric categories:

- " "Required Measures" per CDPH
- " "Above and Beyond Measures"

#### Strategic Frame:

- " Minimizing Exposure
- " Mitigating Exposure

#### **Evaluative Frame**

- " Not Started
- " In Process 🔃
- " Completed



#### Measures

#### Minimizing Exposure

- " Reducing or eliminating risk to the lowest possible level
  - Keeping COVID away

#### Mitigating Exposure

- " Reducing the probability or severity of transmission
  - When COVID is present stopping the spread to others through physical barriers/blockages, etc.



# Attachment A Conditions of Readiness for School Re-Opening

Return to Health Plan completed and videos and website published	
All employees provided access to the Hour Zero COVID training	
Distributed inspection checklist distributed to all site principals	
Health Screening procedures provided to every site	
All school sites/departments provided with procedures for symptomatic, exposed or positive individuals	
Establish protocols for visitors or newssential people on campus/work sites by appointment only	
Health Promotion Practices (e.g. Flu Clinic)	
PPE in all classrooms and common spaces (face coverings, hand sanitizer/hand soap, facial tis	sue)

Not started In Progress Completed



# Attachment A Conditions of Readiness for School Re-Opening

All school sites provided with procedures for setup and use of care room fordsickuals	
Physically distance all classrooms and limit shared objects/surfaces	
Daily disinfectant schedule provided to all plant manager and custodial staff	
Signage map will be provided for each district facility	
Install barriers in all front office locations	
Install barriers for 1x1 student assessments	
In(sta)H5((e))]T/PE4ID266B45298/(1)B2B2732851070EIMsCall ToTatori-072.410(0)y(B)-70855(c))4aB728/1 TEMmual	



# Attachment A Conditions of Readiness for School Re-Opening

Testing available for all staff physically reporting to work at SCPH Free Community Testing Sites during work hours and process to report positive result immediately	
Publish district dashboard on positive cases where individual exposed was physically present at a work/school site	
Require Face Coverings for <u>all</u> grade levels except in cases where there is a medical exemption (please see Return to Health for criteria)	
Reprogram all units to continuously run with open doors and windows	
Fully open all dampeners to allow for the maximum draw of outside air	
Replace filters with the highest ME-Rated filter units are designed to use	


Not started In Progress

Completed



Disable hand dryers	
Turn off drinking fountains	
Flush water lines to remove stagnant water and reduce disease risk	
Install 400 stanchions (movie theater belts) to manage crowd flow	
Third-party assessment establishing that all district facilities have implemented a facilities-related measures to mitigate spread of COVID	ıII

Not started In Progress Completed



# Adoption of Conditions of Readiness for School Re-Opening